






















# Table of contents

|   |    |   |    |
|---|----|---|----|
| <b>1 Study of the parts and integration of a whole</b> . . . . .  | 1  | .3 Vertical discrepancies . . . . .   | 37 |
| 1.1 Medical records and multidisciplinary examination . . . . .   | 7  | <i>Open bite</i> . . . . .  | 37 |
| 1 Objective examination . . . . .   | 7  | <i>Overbite</i> . . . . .   | 37 |
| <i>Medical records</i> . . . . .  | 7  | <i>Edge-to-edge</i> . . . . .   | 39 |
| 1.2 Clinical assessment . . . . .   | 13 | <i>Hyper- and hypodivergent profiles</i> . . . . .  | 39 |
| 1 Synopsis of the clinical procedure . . . . .  | 13 | 2.4 Facial aesthetics . . . . .   | 39 |
|  <i>Synoptic diagram 1.1</i> Holistic approach to orofacial conditions . . . . . | 13 | 1 Genetics and pre-disposing factors . . . . .  | 40 |
| <i>First visit</i> . . . . .  | 14 |  <i>Synoptic diagram 2.1</i> Malocclusions . . . . .                                 | 42 |
| <i>Second visit</i> . . . . .   | 14 | 2 How much function influences malocclusion? . . . . .  | 43 |
| <i>Third visit</i> . . . . .  | 14 | 3 Epigenetic factors . . . . .  | 44 |
|  <i>Box 1.1</i> The importance of a holistic approach . . . . .                  | 14 | <b>3 Orofacial functions and dysfunctions</b> . . . . .   | 45 |
| 1.3 Clinician-patient relationship: the key aspect of therapy . . . . .   | 15 | 3.1 Muscles of the facial and stomatognathic system . . . . .   | 46 |
| 1 Motivations . . . . .   | 15 | 1 Nose, eye and ear muscles . . . . .   | 46 |
| 2 A real experience . . . . .   | 15 | 2 Peri-oral muscles and lips . . . . .  | 47 |
|  <i>Box 1.2</i> The story of M.F. . . . .                                      | 16 | 3 Muscles of mastication . . . . .  | 49 |
| 1.4 From diagnosis to therapy, a gathering of signs and symptoms within a holistic and multidisciplinary approach: a clinical case . . . . .                      | 18 | 4 Suprahyoid and infrahyoid muscles . . . . .   | 50 |
| 1 What were A.P.'s problems? . . . . .  | 23 | 5 Muscles of the tongue . . . . .   | 50 |
| <i>Prematurity and OSAS</i> . . . . .   | 23 | 6 Posterior and lateral neck muscles . . . . .  | 52 |
| <i>Muscular hypotonia, oral breathing and OSAS</i> . . . . .  | 23 | 3.2 Diagnostic approach to oropharyngeal function . . . . .   | 53 |
| <i>Difficulty in sucking and feeding related to muscular hypotonia</i> . . . . .  | 23 | 1 Functionality of each anatomical structure . . . . .  | 54 |
| <i>Metabolism and OSAS</i> . . . . .  | 23 | <i>Lips</i> . . . . .   | 54 |
| <i>Oral respiration and associated symptoms</i> . . . . .   | 23 | <i>Tongue</i> . . . . .   | 54 |
| <i>Lack of a holistic approach</i> . . . . .  | 24 |  <i>Box 3.1</i> Objective measurements . . . . .                                   | 55 |
| 2 Solutions . . . . .   | 24 | 2 Importance of nasal breathing on the body and in disease prevention . . . . .   | 57 |
| APPENDIX - Interdisciplinary orofacial examination protocol . . . . .   | 25 | 3 Orofacial dysfunctions . . . . .  | 59 |
| <b>2 Identifying a malocclusion</b> . . . . .   | 29 | <i>Oral respiration</i> . . . . .   | 59 |
| 2.1 Classifications of malocclusion . . . . .   | 30 | Diagnosis . . . . .   | 60 |
| 1 Classification according to Angle . . . . .   | 30 | <i>Habits</i> . . . . .   | 62 |
| 2 Classification according to Andrews . . . . .   | 31 | Non-obligatory mouth breathing . . . . .  | 62 |
| 2.2 Sagittal skeletal discrepancies . . . . .   | 32 | Use of pacifiers . . . . .  | 62 |
| 1 Classification of sagittal discrepancies from a skeletal standpoint . . . . .   | 32 |  <i>Box 3.2</i> Respiratory dysfunctions: functional clinical diagnosis . . . . .  | 62 |
| 2.3 Diagnosis of discrepancies . . . . .  | 33 | Thumb and fingers sucking . . . . .   | 63 |
| 1 Transverse discrepancies . . . . .  | 34 |  <i>Box 3.3</i> Rhinomanometry . . . . .   | 63 |
| 2 Sagittal discrepancies . . . . .  | 37 |  <i>Box 3.4</i> Electromyography . . . . .   | 64 |
| <i>Overjet</i> . . . . .  | 37 |  <i>Box 3.5</i> 3D visualization with cone beam computed tomography scan . . . . . | 65 |
|   |    |  <i>Synoptic diagram 3.1</i> Clinical diagnosis/ Instrumental diagnosis . . . . .  | 66 |
|   |    | Atypical swallowing . . . . .   | 67 |
|   |    | Lip interposition or sucking . . . . .  | 67 |
|   |    | Fingernail biting (onychophagia) . . . . .  | 68 |

|   |    |   |     |
|---|----|---|-----|
| Pencil chewing . . . . .  | 68 | Fourth objective - Correcting the oral                                    |     |
| Incorrect posture . . . . .   | 68 | rest posture of the tongue . . . . .                                      | 94  |
| Posture and technology . . . . .  | 69 | Exercise 11: The chick and the grain/<br>Little elastic band . . . . .    | 94  |
| <i>Parafunctions</i> . . . . .  | 69 | Exercise 12: Mom rabbit/<br>Closed mouth. . . . .                         | 94  |
| Clenching . . . . .   | 69 | Fifth objective - Re-educating  |     |
|  <i>Synoptic diagram 3.2</i> Habits . . . . .  | 70 | of the orofacial muscles . . . . .  | 95  |
|  <i>Synoptic diagram 3.3</i> Parafunctions . . | 71 | <i>Functional re-education</i>  |     |
| Grinding . . . . .  | 71 | <i>of the anterior part of the tongue -</i>                               |     |
| Bruxism . . . . .   | 72 | <i>The wood animals</i> . . . . .   | 95  |
| 3.3 Neuroplasticity   |    | Exercise 1: The tickle of the hedgehog/<br>Toothbrush . . . . .           | 95  |
| and oral-nasal-facial functions . . . . .   | 72 | Exercise 2: The greedy bear/<br>Chocolate . . . . .                       | 95  |
| <i>Motivation</i> . . . . .   | 72 | Exercise 3: The snake's tongue/<br>Sword . . . . .                        | 95  |
| <i>10 principles of applied neuroplasticity</i> . .   | 73 | Exercise 4: A sleepyhead wolf/Yawn .                                      | 95  |
| Generalization . . . . .  | 73 | Exercise 5: The snail's house/<br>Lipstick . . . . .                      | 96  |
| Habituation . . . . .   | 73 | Exercise 6: The massage<br>of the squirrel/Massage . . . . .              | 96  |
| <i>Habit control.</i> . . . . .   | 73 | Exercise 7: A peacock wheel/<br>Ring around . . . . .                     | 96  |
| APPENDIX - Protocol on phonoaudiological  |    | Exercise 8: The flight<br>of the dragonfly/Ttttt . . . . .                | 96  |
| assessment of breathing with scoring  |    | Exercise 9: The mole digs/<br>Drill the cheek . . . . .                   | 97  |
| (PROPABS) . . . . .   | 75 | <i>Functional re-education</i>  |     |
| <b>4 Myofunctional therapy exercises</b> . . . .  | 81 | <i>of the middle part of the tongue</i> . . . . .                         | 97  |
| 4.1 Physiological rest position . . . . .   | 82 | Exercise 10: The beaver's swallow 1/<br>Swallowing well . . . . .         | 97  |
| 4.2 Principles of myofunctional therapy . . . .   | 82 | Exercise 11: The land tortoise's<br>egg/"Horse" exercise . . . . .        | 97  |
| .1 Chewing . . . . .  | 83 | Exercise 12: The beaver's swallow 2/<br>Two small elastic bands . . . . . | 98  |
| .2 Swallowing . . . . .   | 86 | <i>Functional re-education</i>  |     |
| .3 Speech . . . . .   | 86 | <i>of the posterior part of the tongue</i> . . . .                        | 98  |
| <b>5 Home-based myofunctional therapy</b>   |    | Exercise 13: The fox and the berries/<br>Masako technique . . . . .       | 98  |
| <b>and diary</b> . . . . .  | 89 | Exercise 14: The woodpecker<br>and the bark/KIK exercise . . . . .        | 98  |
| 5.1 Operational tools . . . . .   | 90 | <i>Reinforcement of the lips -</i>  |     |
| 5.2 Re-education of nasal and oral functions .  | 90 | <i>The tropical forest animals</i> . . . . .                              | 99  |
| First objective - Favoring nasal breathing  |    | Exercise 1: The toucan's mango/<br>Oppose the lips . . . . .              | 99  |
| over oral breathing -   |    | Exercise 2: The hummingbird's beak/<br>Pull, pull . . . . .               | 99  |
| The farm animals . . . . .  | 94 | Exercise 3: The equilibrist flamingo/<br>Pencil . . . . .                 | 99  |
| Exercise 1: The horse snorts/<br>Angry bull . . . . .   | 91 | Exercise 4: Come on out,<br>tiny kangaroo!/Button . . . . .               | 99  |
| Exercise 2: The ducklings<br>and the see-saw/Nose-to-nose . .   | 91 | Exercise 5: The fierce panther/Kiss . .                                   | 100 |
| Exercise 3: The pig's belly/Belly . . . .   | 91 | Exercise 6: The affectionate koala/<br>Kiss-smile . . . . .               | 100 |
| Exercise 4: The cow's bell 1/<br>Ding-dong. . . . .   | 92 |   |     |
| Exercise 5: The cow's bell 2/<br>Ding-dong-dang . . . . .   | 92 |   |     |
| Second objective - Resting position . . . . .   | 92 |   |     |
| Exercise 6: The hen is hatching/<br>Tongue up . . . . .   | 92 |   |     |
| Third objective - Recognizing   |    |   |     |
| the retroincisal papilla  |    |   |     |
| with proprioception exercises . . . . .   | 93 |   |     |
| Exercise 7: The forgetful donkey/<br>Finger-tongue . . . . .  | 93 |   |     |
| Exercise 8: The little mouse/Tickle . .   | 93 |   |     |
| Exercise 9: The bird flutters/Shaker .  | 93 |   |     |
| Exercise 10: The hide-and-peek<br>of the goat/Hide-and-peek . . . . .   | 93 |   |     |

|   |     |   |     |
|---|-----|---|-----|
| Exercise 7: The monkey's grimaces/<br>Big mouth . . . . .   | 100 | <b>6 Frenula of the oral cavity</b> . . . . .   | 109 |
| Exercise 8: The chatterbox parrot/<br>Adhesive tape. . . . .  | 100 | 6.1 Alterations of the lingual frenulum . . . . .   | 110 |
| Exercise 9: The chameleon's smile/<br>Half-a-smile . . . . .  | 101 |  <i>Synoptic diagram 6.1</i> Frenula . . . . .                                 | 111 |
| Exercise 10: The weight training<br>of the panda/Up and down. . . . .   | 101 | .1 Lingual frenulum protocols . . . . .   | 112 |
| <i>Exercises for strengthening the masticatory<br/>muscles and lengthening the upper lip -<br/>The savannah animals</i> . . . . . | 101 | .2 Iowa oral performance instrument . . . . .   | 113 |
| Exercise 1: The mathematician<br>crocodile/Count. . . . .   | 101 | .3 Breathing and swallowing. . . . .  | 113 |
| Exercise 2: The little zebras/<br>Tee-Choo. . . . .   | 102 | .4 An integrated rehabilitation treatment . . . . .   | 114 |
| Exercise 3: The elephant's tusks/<br>Dracula . . . . .  | 102 | 6.2 Speech therapist's card:<br>myofunctional therapy for alterations<br>of the lingual frenulum . . . . .  | 114 |
| Exercise 4: The rolling armadillo/<br>Iron (roll). . . . .  | 102 | .1 Myofunctional therapy protocol . . . . .   | 115 |
| Exercise 5: The hippopotamus' cheeks/<br>Big cheeks. . . . .  | 102 | Exercise 1: The dolphin's high jump/<br>Tongue on the spot . . . . .  | 116 |
| Exercise 6: The strong rhinoceros/<br>Fist . . . . .  | 103 | Exercise 2: The sea turtle's egg/<br>Suction cup. . . . .   | 116 |
| Exercise 7: The porcupine's quills/<br>Toothbrush . . . . .   | 103 | Exercise 3: The shrimp's walk/<br>Palate massage . . . . .  | 117 |
| <i>Exercises for chewing and swallowing -<br/>The arctic animals</i> . . . . .  | 103 | Exercise 4: As hungry as a shark!/<br>Huge mouth . . . . .  | 117 |
| Exercise 1: The walrus chews/<br>Let's chew . . . . .   | 103 | Exercise 5: The octopus and<br>the sole fish/Wide and pointy. . . . .   | 118 |
| Exercise 2: The snowy owl's concert/<br>Raising and lowering<br>the soft palate. . . . .  | 103 | Exercise 6: The merry-go-round<br>of the puffer fish/Circles . . . . .  | 118 |
| Sixth objective - Organisation<br>of the swallowing act as a whole . . . . .  | 104 | Exercise 7: The tiny oyster/<br>Open and close . . . . .  | 119 |
| Exercise 3: The white fox already ate/<br>Swallowing saliva . . . . .   | 104 | Exercise 8: Leap, frog, leap!/<br>Cardinal points . . . . .   | 119 |
| Exercise 4: The thirsty seal/<br>Swallowing small sips of water. . . . .  | 104 | .2 Tongue diary . . . . .   | 120 |
| Exercise 5: The newborn penguin/<br>Swallowing correctly<br>semisolid foods . . . . .   | 104 | APPENDIX  |     |
| Exercise 6: The hungry polar bear/<br>Chewing and swallowing<br>solid foods . . . . .   | 104 | A - Lingual frenulum protocols . . . . .  | 122 |
| Seventh objective - Turn swallowing<br>into habitual and automatic . . . . .  | 105 | B - Picture Table for the speech evaluation . . . . .   | 138 |
| <i>Exercises for the transition from a conscious<br/>and voluntary swallowing act<br/>to a habitual function</i> . . . . .        | 105 | C - Examples of different frenulum types. . . . .   | 141 |
| Exercise 7: The snow moose<br>is distracted/Automaticity . . . . .  | 105 | <b>7 Orthodontic appliances<br/>in myofunctional therapy</b> . . . . .  | 143 |
| .1 Proper chewing: before<br>and after chewing education<br>and awareness . . . . .   | 105 |  <i>Box 7.1</i> Orthodontic therapy:<br>frequently asked questions . . . . . | 144 |
| 5.3 Myofunctional therapy diary . . . . .   | 107 | 7.1 Restrictive devices. . . . .  | 145 |
|   |     | 7.2 Stimulator devices. . . . .   | 145 |
|   |     | .1 Tucat's pearl . . . . .  | 145 |
|   |     | .2 Blue grass . . . . .   | 145 |
|   |     | .3 Testa's rocker . . . . .   | 145 |
|   |     | .4 Trainers . . . . .   | 145 |
|   |     | <i>Age range 4-7 years<br/>(deciduous or mixed dentition)</i> . . . . .   | 146 |
|   |     | FE start . . . . .  | 146 |
|   |     | FE 3 . . . . .  | 146 |
|   |     | Infant trainer . . . . .  | 146 |
|   |     | <i>Age range 8-11 years (mixed teeth)</i> . . . . .   | 147 |
|   |     | FE 2 . . . . .  | 147 |
|   |     | FE trainer . . . . .  | 147 |
|   |     | Trainer T4K. . . . .  | 147 |
|   |     | <i>Age range 11-15 years (transition phase<br/>from mixed to permanent dentition).</i> . . . . .  | 147 |
|   |     | FE 1 . . . . .  | 147 |

|   |     |  |     |
|---|-----|--|-----|
| FE guide . . . . .  | 147 |  <b>Box 9.1</b> Tests and screening protocol for SDB . . . . .  | 172 |
| FE braces . . . . .   | 147 |  <b>Box 9.2</b> Morphological parameters of airway obstruction . . . . .  | 172 |
| Trainer T4B . . . . .   | 147 |  <b>Box 9.3</b> Surgery for snoring: procedures . . . . .   | 175 |
| Trainer for brackets T4B . . . . .  | 147 | 9.4 Wake-up calls in OSAS . . . . .  | 176 |
| .5 Perforated palatal plate . . . . .   | 148 | 9.5 Orthodontic devices . . . . .  | 176 |
| .6 Tongue elevators . . . . .   | 148 | 1 Mandibular advancing devices . . . . .   | 177 |
| Balercia's tongue elevator . . . . .  | 148 | <i>Frontal mechanisms</i> . . . . .  | 177 |
| Night tongue elevator . . . . .   | 148 | <i>Lateral mechanisms</i> . . . . .  | 178 |
| .7 Lip-bumper . . . . .   | 148 | 9.6 Multidisciplinary work . . . . .   | 179 |
| 7.3 Functional devices . . . . .  | 149 |  <b>Box 9.4</b> Expansion technique for adult obstructive sleep apnea (OSA) patients: distraction osteogenesis maxillary expansion (DOME) . . . . . | 180 |
| 1 Castillo-Morales plate . . . . .  | 149 | 9.7 Sleep-disordered breathing - Clinical cases . . . . .  | 182 |
| 2 Frankel functional regulator . . . . .  | 149 | APPENDIX - Sleep Questionnaires . . . . .  | 190 |
| <i>Types</i> . . . . .  | 149 |  |     |
| Frankel I . . . . .   | 150 | <b>10 Otitis media with effusion</b> . . . . .   | 193 |
| Frankel II . . . . .  | 150 |  <b>Box 10.1</b> Hints of anatomy and physiology of the auditory tube . . . . .   | 194 |
| Frankel III . . . . .   | 150 | 10.1 Origin and development . . . . .  | 195 |
| Frankel IV . . . . .  | 151 | 10.2 Clinical diagnostics . . . . .  | 196 |
| <i>Construction</i> . . . . .   | 151 | 10.3 Treatment . . . . .   | 197 |
| 3 Andresen activator appliance . . . . .  | 151 | 1 Medical therapy . . . . .  | 197 |
| 4 Bionator . . . . .  | 152 | 2 Thermal water insufflation . . . . .   | 197 |
| 5 Soulet Besombes multifunctional activator . . . . .   | 152 | 3 Surgical options . . . . .   | 197 |
| 6 Maxillary expansion . . . . .   | 153 | 10.4 Eustachian tube rehabilitation . . . . .  | 198 |
| <i>Slow expansion</i> . . . . .   | 153 | 1 Eustachian tube rehabilitation sessions . . . . .  | 200 |
| <i>Rapid expansion and surgically assisted</i> . . . . .  | 156 | <i>First session</i> . . . . .   | 200 |
| 7.4 Myofunctional therapy tools . . . . .   | 157 | <i>Second session</i> . . . . .  | 201 |
| 1 Face-former . . . . .   | 157 | Tongue exercises . . . . .   | 201 |
| 2 Oral screen . . . . .   | 157 | Mandibular exercises . . . . .   | 202 |
| 3 Myo Munchee® . . . . .  | 157 | <i>Third session</i> . . . . .   | 203 |
|  <b>Synoptic diagram 7.1</b> Myofunctional appliances . . . . .                | 158 | Soft palate exercises . . . . .  | 203 |
|   |     | Tongue and soft palate exercises . . . . .   | 203 |
|   |     | Tongue, mandible and soft palate exercises . . . . .   | 204 |
|   |     | Breathing exercises . . . . .  | 204 |
|   |     | <i>Fourth session</i> . . . . .  | 204 |
|   |     | <i>Fifth session</i> . . . . .   | 204 |
|   |     | <i>Sixth session</i> . . . . .   | 205 |
|   |     | Fluid swallowing exercises . . . . .   | 205 |
|   |     | Self-insufflation maneuvers . . . . .  | 205 |
|   |     | <i>Seventh-tenth sessions</i> . . . . .  | 205 |
|   |     |  <b>Synoptic diagram 10.1</b> Otitis media with effusion . . . . .  | 206 |
| <b>8 Orofacial pain</b> . . . . .   | 159 | <b>11 Relation between posture and occlusion</b> . . . . .   | 207 |
| 8.1 Neurological origin of pain . . . . .   | 160 | 11.1 Lines of the body and balance . . . . .   | 208 |
| 8.2 Muscular referred pain . . . . .  | 161 | 11.2 Myofascial chains and balance . . . . .   | 209 |
| 8.3 Assessment and therapy options . . . . .  | 163 |  |     |
| <b>9 Sleep-disordered breathing</b> . . . . .   | 165 |  |     |
| 9.1 Sleep-disordered breathing: what is it? . . . . .   | 166 |  |     |
| 1 Epidemiology and etiopathogenesis . . . . .   | 167 |  |     |
| 2 Signs and symptoms of the patients affected by SDB . . . . .  | 167 |  |     |
| 3 Instrumental diagnosis . . . . .  | 167 |  |     |
| <i>Analysis of respiratory dynamics</i> . . . . .   | 167 |  |     |
|  <b>Synoptic diagram 9.1</b> Obstructive sleep apnea syndrome (OSAS) . . . . . | 168 |  |     |
| <i>Analysis of ventilation</i> . . . . .  | 169 |  |     |
| <i>Diagnostic methodologies</i> . . . . .   | 169 |  |     |
| 9.2 Clinical features . . . . .   | 169 |  |     |
| 9.3 Therapeutic protocol . . . . .  | 170 |  |     |
| 1 Instrumental therapy . . . . .  | 171 |  |     |
| <i>Nasal respirators</i> . . . . .  | 171 |  |     |
| <i>Gnathological therapy</i> . . . . .  | 171 |  |     |
| 2 Surgical therapy . . . . .  | 171 |  |     |

|  |     |  |  |
|--|-----|--|--|
| 11.3 Relation between posture and malocclusion . . . . .   | 210 |  |  |
| .1 Sagittal plane . . . . .  | 210 |  |  |
| .2 Frontal plane. . . . .  | 211 |  |  |
| .3 Transverse plane . . . . .  | 212 |  |  |
|  <i>Synoptic diagram 11.1</i> Posture and occlusion . . . . .       | 212 |  |  |
| 11.4 Muscular chains and relation between occlusion and posture . . . . .  | 213 |  |  |
| .1 Muscular series: functional model . . . . .   | 214 |  |  |
| .2 Muscular series: dysfunctional model and pressure columns . . . . .   | 215 |  |  |
| .3 Occlusion and pressure columns: therapeutic applications . . . . .  | 215 |  |  |
| .4 Postural asymmetry and occlusion . . . . .  | 216 |  |  |
| 11.5 Diagnosis of body statics and dynamics . . . . .  | 217 |  |  |
| .1 Spinometry . . . . .  | 217 |  |  |
| .2 Scoliosometer . . . . .   | 218 |  |  |
| .3 Podoscope . . . . .   | 218 |  |  |
| .4 Stabilometric platform . . . . .  | 219 |  |  |
| .5 Baropodometric analysis . . . . .   | 219 |  |  |
| <i>Static analysis</i> . . . . .   | 219 |  |  |
| <i>Dynamic analysis</i> . . . . .  | 220 |  |  |
| .6 Stabilometric analysis . . . . .  | 221 |  |  |
| <i>Posture and LCP technology</i> . . . . .  | 221 |  |  |
| 11.6 Oral functions, occlusion, head posture and vision . . . . .  | 222 |  |  |
| .1 Receptors and posture . . . . .   | 222 |  |  |
| .2 Hyoid bone and posture. . . . .   | 223 |  |  |
| .3 Lingual frenulum and posture . . . . .  | 224 |  |  |
| .4 Vision and posture . . . . .  | 226 |  |  |
| .5 Conclusions . . . . .   | 229 |  |  |
| <b>12 Glosso-postural syndrome: the relation between tongue position and postural balance</b> . . . . .  | 231 |  |  |
| 12.1 Why choose the term “syndrome”? . . . . .   | 234 |  |  |
| 12.2 General considerations on the relationship between posture and tongue functions. . . . .  | 234 |  |  |
| 12.3 Tongue and posture: the osteopathic approach . . . . .  | 235 |  |  |
| .1 At the osteopathic level the tongue is a key organ . . . . .  | 235 |  |  |
| 12.4 Swallowing and posture: neurophysiological and energetic aspects . . . . .  | 237 |  |  |
| 12.5 The lingual chain. . . . .  | 238 |  |  |
| 12.6 Type I glosso-postural syndrome. . . . .  | 239 |  |  |
| .1 Upper crossed neuromuscular imbalance. . . . .  | 242 |  |  |
| .2 Lower crossed neuromuscular imbalance. . . . .  | 242 |  |  |
| 12.7 Type II glosso-postural syndrome. . . . .   | 243 |  |  |
| 12.8 Conclusion. . . . .   | 243 |  |  |
| <b>13 Osteopathy and the osteopathic approach</b> . . . . .  | 245 |  |  |
| 13.1 Basic principles of osteopathy . . . . .  | 246 |  |  |
| .1 The body as a whole . . . . .   | 246 |  |  |
| .2 Relationship between structure and function. . . . .  | 246 |  |  |
| .3 Self-healing. . . . .   | 246 |  |  |
| 13.2 Osteopathy in the cranial field. . . . .  | 246 |  |  |
| .1 Primary respiratory mechanism. . . . .  | 248 |  |  |
| .2 Clinical aspects . . . . .  | 252 |  |  |
| <i>Evaluation of the relationship between occipital and brachial components</i> . . . . .  | 252 |  |  |
| 13.3 Osteopathic evaluation of the cranium . . . . .   | 253 |  |  |
| .1 Palpation of the cranium . . . . .  | 253 |  |  |
| <i>Other patterns</i> . . . . .  | 253 |  |  |
| Torsion. . . . .   | 253 |  |  |
| Lateral flexion-rotation . . . . .   | 253 |  |  |
| Strain . . . . .   | 254 |  |  |
| .2 Palpation of the sacrum . . . . .   | 255 |  |  |
|  <i>Synoptic diagram 13.1</i> Osteopathy and malocclusion . . . . . | 256 |  |  |
| 13.4 Osteopathy - Clinical cases . . . . .   | 257 |  |  |
| <b>14 Treatment of malocclusion and oral-cervicofacial dysfunctions: clinical cases.</b> . . . . .   | 261 |  |  |
| 14.1 Myofunctional therapy - Clinical cases . . . . .  | 262 |  |  |
| 14.2 Osteopathic treatment - Clinical cases . . . . .  | 281 |  |  |
| <b>15 The particulars of Down syndrome</b> . . . . .   | 291 |  |  |
| 15.1 Down syndrome. . . . .  | 292 |  |  |
| .1 Systemic issues. . . . .  | 292 |  |  |
| .2 Orofacial issues . . . . .  | 292 |  |  |
|  <i>Synoptic diagram 15.1</i> Down syndrome . . . . .             | 293 |  |  |
| 15.2 Myofunctional rehabilitation in Down syndrome . . . . .   | 294 |  |  |
| .1 Myofunctional therapy program. . . . .  | 295 |  |  |
| <i>First goal - Good nasal breathing and awareness of nose function</i> . . . . .  | 295 |  |  |
| Rules of nasal hygiene . . . . .   | 295 |  |  |
| <i>Second goal - Promote nasal breathing</i> . . . . .   | 295 |  |  |
| Breathing and puff exercises . . . . .   | 295 |  |  |
| <i>Third goal - Improve proprioception for patient's expressive development</i> . . . . .  | 296 |  |  |
| Tongue position at rest . . . . .  | 296 |  |  |
| <i>Fourth goal - Restore the labial seal</i> . . . . .   | 297 |  |  |
| Lip incompetence . . . . .   | 297 |  |  |
| <i>Fifth goal - Tone up the buccinator</i> . . . . .   | 299 |  |  |
| Cheeks . . . . .   | 299 |  |  |
| <i>Sixth goal - Tone up the masticatory muscles</i> . . . . .  | 300 |  |  |
| Mastication . . . . .  | 300 |  |  |

---

|   |     |  |     |
|---|-----|--|-----|
| <i>Seventh goal - Strengthen the soft palate,<br/>often hypotonic</i> . . . . . | 300 | 15.3 Down syndrome -<br>Clinical cases | 302 |
| Strengthen the soft palate  | 300 |  |     |
| <i>Eighth goal - Define a proper swallowing<br/>pattern</i> . . . . .           | 301 | <b>Glossary</b> . . . . .              | 319 |
| Swallowing  | 301 | <b>References</b> . . . . .            | 325 |